

5% AXIAL LEADED RESISTOR

BRN BLK BRN GLD

1 0 1

IN HOUSE P/N: 101

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: $\pm 5\%$

100 Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

RED RED BRN GLD

2 2 1

IN HOUSE P/N: 221

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: $\pm 5\%$

220 Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

YEL VIO BRN GLD

4 7 1

IN HOUSE P/N: 471

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: $\pm 5\%$

470 Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

BRN BRN BRN GLD

1 1 1

IN HOUSE P/N: 111

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: $\pm 5\%$

110 Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

RED YEL BRN GLD

2 4 1

IN HOUSE P/N: 241

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: $\pm 5\%$

240 Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

GRN BRN BRN GLD

5 1 1

IN HOUSE P/N: 511

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: $\pm 5\%$

510 Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

BRN RED BRN GLD

1 2 1

IN HOUSE P/N: 121

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: $\pm 5\%$

120 Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

RED VIO BRN GLD

2 7 1

IN HOUSE P/N: 271

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: $\pm 5\%$

270 Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

GRN BLU BRN GLD

5 6 1

IN HOUSE P/N: 561

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: $\pm 5\%$

560 Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

BRN ORN BRN GLD

1 3 1

IN HOUSE P/N: 131

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: $\pm 5\%$

130 Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

ORN BLK BRN GLD

3 0 1

IN HOUSE P/N: 301

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: $\pm 5\%$

300 Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

BLU RED BRN GLD

6 2 1

IN HOUSE P/N: 621

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: $\pm 5\%$

620 Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

BRN GRN BRN GLD

1 5 1

IN HOUSE P/N: 151

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: $\pm 5\%$

150 Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

ORN ORN BRN GLD

3 3 1

IN HOUSE P/N: 331

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: $\pm 5\%$

330 Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

BLU GRY BRN GLD

6 8 1

IN HOUSE P/N: 681

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: $\pm 5\%$

680 Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

BRN BLU BRN GLD

1 6 1

IN HOUSE P/N: 161

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: $\pm 5\%$

160 Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

ORN BLU BRN GLD

3 6 1

IN HOUSE P/N: 361

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: $\pm 5\%$

360 Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

VIO GRN BRN GLD

7 5 1

IN HOUSE P/N: 751

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: $\pm 5\%$

750 Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

BRN GRY BRN GLD

1 8 1

IN HOUSE P/N: 181

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: $\pm 5\%$

180 Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

ORN WHT BRN GLD

3 9 1

IN HOUSE P/N: 391

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: $\pm 5\%$

390 Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

GRY RED BRN GLD

8 2 1

IN HOUSE P/N: 821

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: $\pm 5\%$

820 Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

RED BLK BRN GLD

2 0 1

IN HOUSE P/N: 201

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: $\pm 5\%$

200 Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

YEL ORN BRN GLD

4 3 1

IN HOUSE P/N: 431

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: $\pm 5\%$

430 Ω

POWER 250mW

5% AXIAL LEADED RESISTOR

RED BRN BRN GLD

9 1 1

IN HOUSE P/N: 911

TYPE: Carbon Film

MAX VOLTAGE: 250 VDC

TOLERANCE: $\pm 5\%$

910 Ω

POWER 250mW